

SC サイドカッター (普通刃)

SINCE 1935
F.K.D.®

SC Side Milling Cutters, Straight Tooth




材質=HSS(SKH51)

外径公差

0 ~ +0.5

刃幅公差

3~7 0 ~ +0.05
7.5~11 0 ~ +0.06
11.5~30 0 ~ +0.07



キー溝付

●注文例=型番、刃径、刃幅、穴径、数量 「SC 75x3x25.4」

※◎印受注生産にて受け承ります。

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイド刃(H)
◎ SC	50	3	15.875	18	6
◎ SC	50	4	15.875	18	6
◎ SC	50	5	15.875	18	6
◎ SC	50	6	15.875	18	6
◎ SC	50	7	15.875	18	6
◎ SC	50	8	15.875	18	6
◎ SC	50	9	15.875	18	6
◎ SC	50	10	15.875	18	6
◎ SC	50	12	15.875	18	6
◎ SC	50	15	15.875	18	6
◎ SC	60	3	25.4	20	8
◎ SC	60	4	25.4	20	8
◎ SC	60	5	25.4	20	8
◎ SC	60	6	25.4	20	8
◎ SC	60	7	25.4	20	8
◎ SC	60	8	25.4	20	8
◎ SC	60	9	25.4	20	8
◎ SC	60	10	25.4	20	8
◎ SC	60	11	25.4	20	8
◎ SC	60	12	25.4	20	8
◎ SC	60	14	25.4	20	8
◎ SC	60	15	25.4	20	8
◎ SC	60	16	25.4	20	8
◎ SC	65	3	25.4	20	8.5
◎ SC	65	4	25.4	20	8.5
◎ SC	65	5	25.4	20	8.5
◎ SC	65	6	25.4	20	8.5
◎ SC	65	7	25.4	20	8.5
◎ SC	65	8	25.4	20	8.5
◎ SC	65	9	25.4	20	8.5
◎ SC	65	10	25.4	20	8.5
◎ SC	65	11	25.4	20	8.5
◎ SC	65	12	25.4	20	8.5
◎ SC	65	14	25.4	20	8.5
◎ SC	65	15	25.4	20	8.5
◎ SC	75	3	25.4	22	10.5
◎ SC	75	3.5	25.4	22	10.5
◎ SC	75	4	25.4	22	10.5
◎ SC	75	4.5	25.4	22	10.5
◎ SC	75	5	25.4	22	10.5
◎ SC	75	5.5	25.4	22	10.5
◎ SC	75	6	25.4	22	10.5

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイド刃(H)
◎ SC	75	6.5	25.4	22	10.5
◎ SC	75	7	25.4	22	10.5
◎ SC	75	7.5	25.4	22	10.5
◎ SC	75	8	25.4	22	10.5
◎ SC	75	8.5	25.4	22	10.5
◎ SC	75	9	25.4	22	10.5
◎ SC	75	10	25.4	22	10.5
◎ SC	75	11	25.4	22	10.5
◎ SC	75	12	25.4	22	10.5
◎ SC	75	13	25.4	22	10.5
◎ SC	75	14	25.4	22	10.5
◎ SC	75	15	25.4	22	10.5
◎ SC	75	16	25.4	22	10.5
◎ SC	75	17	25.4	22	10.5
◎ SC	75	18	25.4	22	10.5
◎ SC	75	19	25.4	22	10.5
◎ SC	75	20	25.4	22	10.5
◎ SC	75	22	25.4	22	10.5
◎ SC	75	23	25.4	22	10.5
◎ SC	75	24	25.4	22	10.5
◎ SC	75	25	25.4	22	10.5
◎ SC	80	3	25.4	24	11
◎ SC	80	4	25.4	24	11
◎ SC	80	5	25.4	24	11
◎ SC	80	6	25.4	24	11
◎ SC	80	7	25.4	24	11
◎ SC	80	8	25.4	24	11
◎ SC	80	9	25.4	24	11
◎ SC	80	10	25.4	24	11
◎ SC	80	11	25.4	24	11
◎ SC	80	12	25.4	24	11
◎ SC	80	14	25.4	24	11
◎ SC	80	15	25.4	24	11
◎ SC	90	3	25.4	24	12
◎ SC	90	4	25.4	24	12
◎ SC	90	5	25.4	24	12
◎ SC	90	6	25.4	24	12
◎ SC	90	7	25.4	24	12
◎ SC	90	8	25.4	24	12
◎ SC	90	9	25.4	24	12
◎ SC	90	10	25.4	24	12
◎ SC	90	11	25.4	24	12

横型
フェイスカッター

SC サイドカッター (普通刃)

SINCE 1935
F.K.D.®

SC Side Milling Cutters, Straight Tooth


材質=HSS(SKH51)

外径公差

0 ~ +0.5

刃幅公差

3~7 0 ~ +0.05
7.5~11 0 ~ +0.06
11.5~30 0 ~ +0.07



キー溝付

●注文例=型番、刃径、刃幅、穴径、数量 [SC 100x3x25.4]

※◎印受注生産にて受け承ります。

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
◎ SC	90	12	25.4	24	12
◎ SC	90	14	25.4	24	12
◎ SC	90	15	25.4	24	12
◎ SC	90	16	25.4	24	12
SC	100	3	25.4	28	14
SC	100	3.5	25.4	28	14
SC	100	4	25.4	28	14
SC	100	4.5	25.4	28	14
SC	100	5	25.4	28	14
SC	100	5.5	25.4	28	14
SC	100	6	25.4	28	14
SC	100	6.5	25.4	28	14
SC	100	7	25.4	28	14
SC	100	7.5	25.4	28	14
SC	100	8	25.4	28	14
SC	100	8.5	25.4	28	14
SC	100	9	25.4	28	14
SC	100	9.5	25.4	28	14
SC	100	10	25.4	28	14
SC	100	10.5	25.4	28	14
SC	100	11	25.4	28	14
SC	100	12	25.4	28	14
SC	100	13	25.4	26	14
SC	100	14	25.4	26	14
SC	100	15	25.4	26	14
SC	100	16	25.4	26	14
SC	100	17	25.4	26	14
SC	100	18	25.4	26	14
SC	100	19	25.4	26	14
SC	100	20	25.4	26	14
SC	100	22	25.4	26	14
SC	100	23	25.4	26	14
SC	100	24	25.4	26	14
SC	100	25	25.4	26	14
SC	100	26	25.4	26	14
SC	100	28	25.4	26	14
SC	100	29	25.4	26	14
SC	100	30	25.4	26	14
◎ SC	100	3	31.75	28	14
◎ SC	100	4	31.75	28	14
◎ SC	100	5	31.75	28	14
◎ SC	100	6	31.75	28	14

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
◎ SC	100	7	31.75	28	14
◎ SC	100	8	31.75	28	14
◎ SC	100	9	31.75	28	14
◎ SC	100	10	31.75	28	14
◎ SC	100	11	31.75	28	14
◎ SC	100	12	31.75	28	14
◎ SC	100	13	31.75	26	14
◎ SC	100	14	31.75	26	14
◎ SC	100	15	31.75	26	14
◎ SC	100	16	31.75	26	14
◎ SC	100	18	31.75	26	14
◎ SC	100	20	31.75	26	14
SC	125	3	25.4	30	17.5
SC	125	3.5	25.4	30	17.5
SC	125	4	25.4	30	17.5
SC	125	4.5	25.4	30	17.5
SC	125	5	25.4	30	17.5
SC	125	5.5	25.4	30	17.5
SC	125	6	25.4	30	17.5
SC	125	7	25.4	30	17.5
SC	125	7.5	25.4	30	17.5
SC	125	8	25.4	30	17.5
SC	125	8.5	25.4	30	17.5
SC	125	9	25.4	30	17.5
SC	125	9.5	25.4	30	17.5
SC	125	10	25.4	30	17.5
SC	125	10.5	25.4	30	17.5
SC	125	11	25.4	30	17.5
SC	125	12	25.4	30	17.5
SC	125	12.5	25.4	30	17.5
SC	125	13	25.4	28	17.5
SC	125	14	25.4	28	17.5
SC	125	15	25.4	28	17.5
SC	125	16	25.4	28	17.5
SC	125	17	25.4	28	17.5
SC	125	18	25.4	28	17.5
SC	125	19	25.4	28	17.5
SC	125	20	25.4	28	17.5
SC	125	22	25.4	28	17.5
SC	125	24	25.4	28	17.5
SC	125	25	25.4	28	17.5
SC	125	26	25.4	28	17.5

横型
フライスカッター

SSC 千鳥刃サイドカッター

SINCE 1935
F.K.D.®

SSC Side Milling Cutters, Staggered Tooth


材質=HSS-Co(SKH55)

外径公差

0~+0.5

刃幅公差

3~7 0~+0.05
7.5~11 0~+0.06
11.5~30 0~+0.07



キー溝付

●注文例=型番、刃径、刃幅、穴径、数量 [SSC 75x3x25.4]

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
SSC	75	3	25.4	16	10.5
SSC	75	3.5	25.4	16	10.5
SSC	75	4	25.4	16	10.5
SSC	75	4.5	25.4	16	10.5
SSC	75	5	25.4	16	10.5
SSC	75	5.5	25.4	16	10.5
SSC	75	6	25.4	16	10.5
SSC	75	6.5	25.4	16	10.5
SSC	75	7	25.4	16	10.5
SSC	75	7.5	25.4	16	10.5
SSC	75	8	25.4	16	10.5
SSC	75	8.5	25.4	16	10.5
SSC	75	9	25.4	16	10.5
SSC	75	9.5	25.4	16	10.5
SSC	75	10	25.4	16	10.5
SSC	75	10.5	25.4	16	10.5
SSC	75	11	25.4	16	10.5
SSC	75	11.5	25.4	16	10.5
SSC	75	12	25.4	16	10.5
SSC	75	12.5	25.4	16	10.5
SSC	75	13	25.4	16	10.5
SSC	75	14	25.4	16	10.5
SSC	75	15	25.4	16	10.5
SSC	75	16	25.4	16	10.5
SSC	75	17	25.4	16	10.5
SSC	75	18	25.4	16	10.5
SSC	75	19	25.4	16	10.5
SSC	75	20	25.4	16	10.5
SSC	75	21	25.4	16	10.5
SSC	75	22	25.4	16	10.5
SSC	75	23	25.4	16	10.5
SSC	75	24	25.4	16	10.5
SSC	75	25	25.4	16	10.5
SSC	75	26	25.4	16	10.5
SSC	75	27	25.4	16	10.5
SSC	75	28	25.4	16	10.5
SSC	75	30	25.4	16	10.5
SSC	100	3	25.4	18	14
SSC	100	3.5	25.4	18	14
SSC	100	4	25.4	18	14
SSC	100	4.5	25.4	18	14
SSC	100	5	25.4	18	14
SSC	100	5.5	25.4	18	14
SSC	100	6	25.4	18	14
SSC	100	6.5	25.4	18	14

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
SSC	100	7	25.4	18	14
SSC	100	7.5	25.4	18	14
SSC	100	8	25.4	18	14
SSC	100	8.5	25.4	18	14
SSC	100	9	25.4	18	14
SSC	100	9.5	25.4	18	14
SSC	100	10	25.4	18	14
SSC	100	10.5	25.4	18	14
SSC	100	11	25.4	18	14
SSC	100	11.5	25.4	18	14
SSC	100	12	25.4	18	14
SSC	100	12.5	25.4	18	14
SSC	100	13	25.4	18	14
SSC	100	14	25.4	18	14
SSC	100	15	25.4	18	14
SSC	100	16	25.4	18	14
SSC	100	17	25.4	18	14
SSC	100	18	25.4	18	14
SSC	100	19	25.4	18	14
SSC	100	20	25.4	18	14
SSC	100	21	25.4	18	14
SSC	100	22	25.4	18	14
SSC	100	23	25.4	18	14
SSC	100	24	25.4	18	14
SSC	100	25	25.4	18	14
SSC	100	26	25.4	18	14
SSC	100	27	25.4	18	14
SSC	100	28	25.4	18	14
SSC	100	30	25.4	18	14
SSC	100	3	31.75	18	14
SSC	100	3.5	31.75	18	14
SSC	100	4	31.75	18	14
SSC	100	5	31.75	18	14
SSC	100	6	31.75	18	14
SSC	100	7	31.75	18	14
SSC	100	8	31.75	18	14
SSC	100	9	31.75	18	14
SSC	100	10	31.75	18	14
SSC	100	11	31.75	18	14
SSC	100	12	31.75	18	14
SSC	100	13	31.75	18	14
SSC	100	14	31.75	18	14
SSC	100	15	31.75	18	14
SSC	100	16	31.75	18	14
SSC	100	17	31.75	18	14

横型
フライスカッター

SSC 千鳥刃サイドカッター

SINCE 1935
F.K.D.®

SSC Side Milling Cutters, Staggered Tooth


材質=HSS-Co(SKH55)

外径公差

0~+0.5

刃幅公差

3~7 0~+0.05
7.5~11 0~+0.06
11.5~30 0~+0.07



キー溝付

●注用例=型番、刃径、刃幅、穴径、数量 [SSC 125x3x25.4]

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
SSC	100	18	31.75	18	14
SSC	100	19	31.75	18	14
SSC	100	20	31.75	18	14
SSC	100	22	31.75	18	14
SSC	100	24	31.75	18	14
SSC	100	25	31.75	18	14
SSC	100	26	31.75	18	14
SSC	100	28	31.75	18	14
SSC	100	30	31.75	18	14
SSC	125	3	25.4	22	16
SSC	125	3.5	25.4	22	16
SSC	125	4	25.4	22	16
SSC	125	4.5	25.4	22	16
SSC	125	5	25.4	22	16
SSC	125	5.5	25.4	22	16
SSC	125	6	25.4	22	16
SSC	125	6.5	25.4	22	16
SSC	125	7	25.4	22	16
SSC	125	7.5	25.4	22	16
SSC	125	8	25.4	22	16
SSC	125	8.5	25.4	22	16
SSC	125	9	25.4	22	16
SSC	125	9.5	25.4	22	16
SSC	125	10	25.4	22	16
SSC	125	10.5	25.4	22	16
SSC	125	11	25.4	22	16
SSC	125	11.5	25.4	22	16
SSC	125	12	25.4	22	16
SSC	125	12.5	25.4	22	16
SSC	125	13	25.4	22	16
SSC	125	14	25.4	22	16
SSC	125	15	25.4	22	16
SSC	125	16	25.4	22	16
SSC	125	17	25.4	22	16
SSC	125	18	25.4	22	16
SSC	125	19	25.4	22	16
SSC	125	20	25.4	22	16
SSC	125	21	25.4	22	16
SSC	125	22	25.4	22	16
SSC	125	23	25.4	22	16
SSC	125	24	25.4	22	16
SSC	125	25	25.4	22	16
SSC	125	26	25.4	22	16
SSC	125	27	25.4	22	16
SSC	125	28	25.4	22	16

型番	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)	サイ刃(H)
SSC	125	29	25.4	22	16
SSC	125	30	25.4	22	16
SSC	125	3	31.75	22	16
SSC	125	4	31.75	22	16
SSC	125	5	31.75	22	16
SSC	125	6	31.75	22	16
SSC	125	7	31.75	22	16
SSC	125	8	31.75	22	16
SSC	125	9	31.75	22	16
SSC	125	10	31.75	22	16
SSC	125	11	31.75	22	16
SSC	125	12	31.75	22	16
SSC	125	13	31.75	22	16
SSC	125	14	31.75	22	16
SSC	125	15	31.75	22	16
SSC	125	16	31.75	22	16
SSC	125	17	31.75	22	16
SSC	125	18	31.75	22	16
SSC	125	19	31.75	22	16
SSC	125	20	31.75	22	16
SSC	125	22	31.75	22	16
SSC	125	24	31.75	22	16
SSC	125	25	31.75	22	16
SSC	125	26	31.75	22	16
SSC	125	28	31.75	22	16
SSC	125	30	31.75	22	16
SSC	150	3	25.4	24	18
SSC	150	3.5	25.4	24	18
SSC	150	4	25.4	24	18
SSC	150	4.5	25.4	24	18
SSC	150	5	25.4	24	18
SSC	150	5.5	25.4	24	18
SSC	150	6	25.4	24	18
SSC	150	6.5	25.4	24	18
SSC	150	7	25.4	24	18
SSC	150	7.5	25.4	24	18
SSC	150	8	25.4	24	18
SSC	150	8.5	25.4	24	18
SSC	150	9	25.4	24	18
SSC	150	9.5	25.4	24	18
SSC	150	10	25.4	24	18
SSC	150	10.5	25.4	24	18
SSC	150	11	25.4	24	18
SSC	150	12	25.4	24	18
SSC	150	12.5	25.4	24	18


横型
フライスカッター

AC-RH 右刃シングルアングルカッター

SINCE 1935
F.K.D.®

AC-RH Single Angle Cutters, Right Hand

材質=HSS(SKH51)
外径公差=0~+1.0
刃幅公差=±0.2
角度公差=±15'



●注文例=型番、刃径、角度、刃幅、穴径、数量 「AC-RH 30°x70x4x25.4」

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	30°	70	4	25.4	20
AC-RH		70	5	25.4	20
AC-RH		70	6	25.4	20
AC-RH		70	8	25.4	20
AC-RH		70	10	25.4	20
AC-RH		75	5	25.4	22
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22
AC-RH		75	10	25.4	22
AC-RH		100	4	25.4	28
AC-RH		100	5	25.4	28
AC-RH		100	6	25.4	28
AC-RH		100	8	25.4	28
AC-RH		100	9	25.4	28
AC-RH	100	10	25.4	28	
AC-RH	100	13	25.4	28	
AC-RH	35°	70	8	25.4	20
AC-RH		70	10	25.4	20
AC-RH		70	13	25.4	20
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22
AC-RH		75	10	25.4	22
AC-RH		75	13	25.4	22
AC-RH		100	6	25.4	22
AC-RH		100	8	25.4	22
AC-RH		100	10	25.4	28
AC-RH	100	15	25.4	28	
AC-RH	40°	70	6	25.4	20
AC-RH		70	8	25.4	20
AC-RH		70	10	25.4	20
AC-RH		70	13	25.4	20
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22
AC-RH		75	10	25.4	22
AC-RH		75	13	25.4	22
AC-RH		100	6	25.4	28
AC-RH		100	8	25.4	28
AC-RH	100	10	25.4	28	
AC-RH	100	15	25.4	28	
AC-RH	45°	70	4	25.4	20
AC-RH		70	6	25.4	20
AC-RH		70	8	25.4	20
AC-RH		70	10	25.4	20
AC-RH		70	10	25.4	20

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	45°	70	11	25.4	20
AC-RH		70	13	25.4	20
AC-RH		70	15	25.4	20
AC-RH		75	4	25.4	22
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22
AC-RH		75	10	25.4	22
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		75	20	25.4	22
AC-RH		100	4	25.4	28
AC-RH		100	6	25.4	28
AC-RH		100	8	25.4	28
AC-RH	100	10	25.4	28	
AC-RH	100	13	25.4	28	
AC-RH	100	15	25.4	28	
AC-RH	100	18	25.4	28	
AC-RH	100	20	25.4	28	
AC-RH	100	25	25.4	28	
AC-RH	100	30	25.4	28	
AC-RH	125	10	25.4	32	
AC-RH	125	13	25.4	32	
AC-RH	125	15	25.4	32	
AC-RH	125	20	25.4	32	
AC-RH	125	25	25.4	32	
AC-RH	125	30	25.4	32	
AC-RH	150	15	25.4	36	
AC-RH	150	20	25.4	36	
AC-RH	150	25	25.4	36	
AC-RH	150	30	25.4	36	
AC-RH	50°	70	10	25.4	20
AC-RH		70	13	25.4	20
AC-RH		70	15	25.4	20
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22
AC-RH		75	10	25.4	22
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		100	4	25.4	28
AC-RH	100	6	25.4	28	
AC-RH	100	8	25.4	28	



横型
フライスカッター

AC-RH 右刃シングルアングルカッター

SINCE 1935
F.K.D.®

AC-RH Single Angle Cutters, Right Hand

材質=HSS(SKH51)
外径公差=0~+1.0
刃幅公差=±0.2
角度公差=±15'



キー溝付



●注文例=型番、刃径、角度、刃幅、穴径、数量 [AC-RH 50°x100x10x25.4]

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	50°	100	10	25.4	28
AC-RH		100	13	25.4	28
AC-RH		100	15	25.4	28
AC-RH		100	18	25.4	28
AC-RH		100	20	25.4	28
AC-RH		100	25	25.4	28
AC-RH		100	30	25.4	28
AC-RH		125	10	25.4	32
AC-RH		125	13	25.4	32
AC-RH		125	15	25.4	32
AC-RH		125	20	25.4	32
AC-RH		125	25	25.4	32
AC-RH		125	30	25.4	32
AC-RH		55°	70	10	25.4
AC-RH	70		13	25.4	20
AC-RH	70		15	25.4	20
AC-RH	75		4	25.4	22
AC-RH	75		6	25.4	22
AC-RH	75		8	25.4	22
AC-RH	75		10	25.4	22
AC-RH	75		13	25.4	22
AC-RH	75		15	25.4	22
AC-RH	75		18	25.4	22
AC-RH	75		20	25.4	22
AC-RH	75		25	25.4	22
AC-RH	100		4	25.4	28
AC-RH	100		6	25.4	28
AC-RH	100	8	25.4	28	
AC-RH	100	10	25.4	28	
AC-RH	100	13	25.4	28	
AC-RH	100	15	25.4	28	
AC-RH	100	18	25.4	28	
AC-RH	100	20	25.4	28	
AC-RH	125	10	25.4	32	
AC-RH	125	13	25.4	32	
AC-RH	125	15	25.4	32	
AC-RH	125	20	25.4	32	
AC-RH	60°	70	10	25.4	20
AC-RH		70	13	25.4	20
AC-RH		70	15	25.4	20
AC-RH		75	4	25.4	22
AC-RH		75	6	25.4	22
AC-RH		75	8	25.4	22

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	60°	75	10	25.4	22
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		75	20	25.4	22
AC-RH		75	25	25.4	22
AC-RH		100	4	25.4	28
AC-RH		100	6	25.4	28
AC-RH		100	8	25.4	28
AC-RH		100	10	25.4	28
AC-RH		100	13	25.4	28
AC-RH		100	15	25.4	28
AC-RH		100	18	25.4	28
AC-RH		100	20	25.4	28
AC-RH	65°	100	25	25.4	28
AC-RH		100	30	25.4	28
AC-RH		100	40	25.4	28
AC-RH		100	50	25.4	28
AC-RH		125	10	25.4	32
AC-RH		125	13	25.4	32
AC-RH		125	15	25.4	32
AC-RH		125	20	25.4	32
AC-RH		125	25	25.4	32
AC-RH		125	30	25.4	32
AC-RH		150	15	25.4	36
AC-RH		150	20	25.4	36
AC-RH		150	25	25.4	36
AC-RH		150	30	25.4	36
AC-RH	70°	70	13	25.4	20
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		100	8	25.4	28
AC-RH		100	10	25.4	28
AC-RH		100	15	25.4	28
AC-RH		100	18	25.4	28
AC-RH		100	20	25.4	28
AC-RH		100	25	25.4	28
AC-RH	70°	70	13	25.4	20
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		100	8	25.4	28
AC-RH		100	10	25.4	28



横型
フライスカッター

AC-RH 右刃シングルアングルカッター

SINCE 1935
F.K.D.®

AC-RH Single Angle Cutters, Right Hand

材質=HSS(SKH51)
外径公差=0~+1.0
刃幅公差=±0.2
角度公差=±15'



キー溝付



●注文例=型番、刃径、角度、刃幅、穴径、数量 「AC-RH 70°x100x15x25.4」

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	70°	100	15	25.4	28
AC-RH		100	18	25.4	28
AC-RH		100	20	25.4	28
AC-RH	75°	70	13	25.4	20
AC-RH		70	15	25.4	20
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		75	20	25.4	22
AC-RH		100	6	25.4	28
AC-RH		100	8	25.4	28
AC-RH		100	10	25.4	28
AC-RH		100	15	25.4	28
AC-RH	100	18	25.4	28	

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-RH	75°	100	20	25.4	28
AC-RH		125	10	25.4	32
AC-RH		125	15	25.4	32
AC-RH	80°	125	20	25.4	32
AC-RH		70	20	25.4	20
AC-RH		75	13	25.4	22
AC-RH		75	15	25.4	22
AC-RH		75	18	25.4	22
AC-RH		100	8	25.4	28
AC-RH		100	10	25.4	28
AC-RH		100	15	25.4	28
AC-RH		100	18	25.4	28
AC-RH		100	20	25.4	28

横型
フライスカッター



被削材 型番	硬度	鋳鉄	炭素鋼	合金鋼	工具鋼	調質鋼	ステンレス	アルミ合金	鋼合金	チタン合金	耐熱合金	樹脂
		FC, FCD	S50C	SCM	SKD	NAK	SUS304	Al	Cu	Ti6Al4V	インコネル	ABS
AC-RH	~350HB	○	○	○	○			○	○			○

AC-LH 左刃シングルアングルカッター

SINCE 1935
F.K.D.®

AC-LH Single Angle Cutters, Left Hand

材質=HSS(SKH51)
外径公差=0~+1.0
刃幅公差=±0.2
角度公差=±15'



キー溝付



●注用例=型番、刃径、角度、刃幅、穴径、数量 「AC-LH 30°x70x4x25.4」

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-LH	30°	70	4	25.4	20
AC-LH		70	5	25.4	20
AC-LH		70	6	25.4	20
AC-LH		70	8	25.4	20
AC-LH		70	10	25.4	20
AC-LH		75	5	25.4	22
AC-LH		75	6	25.4	22
AC-LH		75	8	25.4	22
AC-LH		75	9	25.4	22
AC-LH		75	10	25.4	22
AC-LH		100	4	25.4	28
AC-LH		100	6	25.4	28
AC-LH		100	8	25.4	28
AC-LH		100	10	25.4	28
AC-LH	35°	100	13	25.4	28
AC-LH		100	15	25.4	28
AC-LH		70	8	25.4	20
AC-LH		70	10	25.4	20
AC-LH		70	13	25.4	20
AC-LH		75	6	25.4	22
AC-LH		75	8	25.4	22
AC-LH		75	10	25.4	22
AC-LH		75	13	25.4	22
AC-LH		100	6	25.4	22
AC-LH	40°	100	8	25.4	22
AC-LH		100	10	25.4	28
AC-LH		100	15	25.4	28
AC-LH		70	6	25.4	20
AC-LH		70	8	25.4	20
AC-LH		70	10	25.4	20
AC-LH		70	13	25.4	20
AC-LH		75	6	25.4	22
AC-LH		75	8	25.4	22
AC-LH		75	10	25.4	22
AC-LH	45°	75	13	25.4	22
AC-LH		100	6	25.4	28
AC-LH		100	8	25.4	28
AC-LH		100	10	25.4	28
AC-LH		100	15	25.4	28
AC-LH		70	4	25.4	20
AC-LH		70	6	25.4	20
AC-LH		70	8	25.4	20
AC-LH		70	10	25.4	20
AC-LH		70	10	25.4	20

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
AC-LH	45°	70	11	25.4	20
AC-LH		70	13	25.4	20
AC-LH		70	15	25.4	20
AC-LH		75	4	25.4	22
AC-LH		75	6	25.4	22
AC-LH		75	8	25.4	22
AC-LH		75	10	25.4	22
AC-LH		75	13	25.4	22
AC-LH		75	15	25.4	22
AC-LH		75	18	25.4	22
AC-LH		75	20	25.4	22
AC-LH		100	4	25.4	28
AC-LH		100	6	25.4	28
AC-LH		100	8	25.4	28
AC-LH		100	10	25.4	28
AC-LH		100	13	25.4	28
AC-LH		100	15	25.4	28
AC-LH		100	18	25.4	28
AC-LH		100	20	25.4	28
AC-LH		100	25	25.4	28
AC-LH	50°	100	30	25.4	28
AC-LH		125	10	25.4	32
AC-LH		125	13	25.4	32
AC-LH		125	15	25.4	32
AC-LH		125	20	25.4	32
AC-LH		125	25	25.4	32
AC-LH		125	30	25.4	32
AC-LH		150	15	25.4	36
AC-LH		150	20	25.4	36
AC-LH		150	25	25.4	36
AC-LH	50°	150	30	25.4	36
AC-LH		70	10	25.4	20
AC-LH		70	13	25.4	20
AC-LH		70	15	25.4	20
AC-LH		75	6	25.4	22
AC-LH		75	8	25.4	22
AC-LH		75	10	25.4	22
AC-LH		75	13	25.4	22
AC-LH		75	15	25.4	22
AC-LH		75	18	25.4	22
AC-LH	50°	100	4	25.4	28
AC-LH		100	6	25.4	28
AC-LH		100	8	25.4	28
AC-LH		100	8	25.4	28



横型フライスカッター

WAC ダブルアングルカッター

SINCE 1935
F.K.D.®

WAC Double Angle Cutters

材質=HSS(SKH51)
外径公差=0~+1.0
刃幅公差=±0.2
角度公差=±15'



キー溝付



●注文例=型番、角度、刃径、刃幅、穴径、数量 [WAC 30°x70x6x25.4]

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
WAC	30°	70	6	25.4	20
WAC		70	8	25.4	20
WAC		70	10	25.4	20
WAC		75	4	25.4	22
WAC		75	6	25.4	22
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	13	25.4	28
WAC		100	15	25.4	28
WAC	35°	70	10	25.4	20
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC	40°	70	10	25.4	20
WAC		70	13	25.4	20
WAC		75	6	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC	45°	70	10	25.4	20
WAC		70	13	25.4	20
WAC		75	4	25.4	22
WAC		75	6	25.4	22
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		100	4	25.4	28
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC	100	10	25.4	28	
WAC	100	13	25.4	28	
WAC	100	15	25.4	28	
WAC	100	18	25.4	28	
WAC	100	20	25.4	28	

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
WAC	45°	100	25	25.4	28
WAC		125	10	25.4	32
WAC		125	15	25.4	32
WAC		125	20	25.4	32
WAC		125	25	25.4	32
WAC		125	25	25.4	32
WAC	50°	70	13	25.4	20
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC		100	20	25.4	28
WAC		125	10	25.4	32
WAC		125	20	25.4	32
WAC	55°	70	13	25.4	20
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC		100	20	25.4	28
WAC		125	10	25.4	32
WAC		125	15	25.4	32
WAC	125	20	25.4	32	
WAC	60°	70	10	25.4	20
WAC		70	13	25.4	20
WAC		75	4	25.4	22
WAC		75	6	25.4	22
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		100	4	25.4	28
WAC		100	6	25.4	28

横型
フライスカッター

WAC ダブルアングルカッター

SINCE 1935
F.K.D.®

WAC Double Angle Cutters

材質=SKH51 HSS
 外径公差=0~+1.0
 刃幅公差=±0.2
 角度公差=±15'



キー溝付

●注文例=型番、刃径、角度、刃幅、穴径、数量 [WAC 60°x100x8x25.4]

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
WAC	60°	100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	13	25.4	28
WAC		100	15	25.4	28
WAC		100	18	25.4	28
WAC		100	20	25.4	28
WAC		100	25	25.4	28
WAC		125	10	25.4	32
WAC		125	15	25.4	32
WAC		125	20	25.4	32
WAC		125	25	25.4	32
WAC		125	30	25.4	32
WAC		150	13	25.4	36
WAC		150	15	25.4	36
WAC	150	20	25.4	36	
WAC	65°	70	13	25.4	20
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC		100	20	25.4	28
WAC		125	10	25.4	32
WAC	125	15	25.4	32	
WAC	125	20	25.4	32	
WAC	70°	70	13	25.4	20
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC		125	10	25.4	32
WAC	125	15	25.4	32	
WAC	125	20	25.4	32	
WAC	75°	70	13	25.4	20
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22

型番	角度	刃径(D)	刃幅(L)	穴径(φ)	刃数(NT)
WAC	75°	75	20	25.4	22
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC		100	18	25.4	28
WAC		100	20	25.4	28
WAC		125	10	25.4	32
WAC		125	15	25.4	32
WAC		125	20	25.4	32
WAC	80°	75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		100	4	25.4	28
WAC		100	6	25.4	28
WAC		100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28
WAC	90°	100	18	25.4	28
WAC		100	20	25.4	28
WAC		125	10	25.4	32
WAC		125	15	25.4	32
WAC		125	20	25.4	32
WAC		70	6	25.4	20
WAC		70	8	25.4	20
WAC		70	10	25.4	20
WAC		70	13	25.4	20
WAC		75	4	25.4	22
WAC	90°	75	6	25.4	22
WAC		75	8	25.4	22
WAC		75	10	25.4	22
WAC		75	13	25.4	22
WAC		75	15	25.4	22
WAC		75	18	25.4	22
WAC		75	20	25.4	22
WAC		75	25	25.4	22
WAC		100	4	25.4	28
WAC		100	6	25.4	28
WAC	90°	100	8	25.4	28
WAC		100	10	25.4	28
WAC		100	15	25.4	28

横型
フリスカッター