

TONE 前田金属工業
JAPANESE MARKET ONLY

コンビネーションツールセット

差込角12.7mmのソケットレンチなど軽作業向けに厳選した全33点のメタルケース入りツールセット。外寸:475×280×65mm(ハンドル部除く) 在庫品



型番 **K20**

セット内容	メーカー製品番号(仕様)	サイズ(mm)	単品・セット区分	¥単価
ソケット(12角)	4D-08, 10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 26, 27, 30, 32	475×280×65 (ハンドル部除く)	全33点	30,340
ラチェットハンドル	371			
スピナハンドル	311			
T形スライドハンドル	310			
エクステンションバー	321(150mm)			
クロスバー	110			
スパナセット	35M(S-5.507, 0810, 1113, 1214, 1719, 2224)			
ロングめがねレンチ(45°)	M45-0810, 1113, 1214, 1417, 1922, 2427			
ツールケース	MCK20			

①数量スライド価格適用外。
②当商品の詳細情報は御覧ください。該当ページをご確認ください。

TONE 前田金属工業
JAPANESE MARKET ONLY

ツールセット TSH430

天面フラット&V形3段式ツールケースBX331(レッド)と差込角12.7mmソケットレンチやラチェットめがねレンチ等のセット。外寸:433×220×240mm 3日目発送
①ただし土日祝日除く。



型番 **TSH430**

セット内容	メーカー製品番号(仕様)	サイズ(mm)	単品・セット区分	¥単価
ソケット(12角)	4D-13, 14, 17, 19, 22, 24, 27, 30, 32	433×220×240	全52点	67,370
ヘキサゴンソケット	4H-03, 04, 05, 06, 08, 10, 12, 14, 17			
ラチェットハンドル	371			
エクステンションバー	321(150mm)			
首振りラチェットめがねレンチ	RMF-08, 10, 12, 13, 14, 17, 19, 21, 22, 24			
モンキーレンチ(目盛付)	MW-300			
コンビネーションプライヤ	CP-200			
ウォーターポンププライヤ(強力タイプ)	KWP-250			
ペンチ	CT-175G			
強力ニッパ	KN-150G			
パワードライバー(貫通)	PMD-075, 100, 150(⊖丸軸ソフトグリップ柄) PPD-001, 002, 003(⊕丸軸ソフトグリップ柄)			
コンビネーションハンマー	BHC-10(1ポンド)			
ロングボールポイントL形レンチセット	BPL900(BPL-1.5, 02, 2.5, 03, 04, 05, 06, 08, 10)			
ツールケース	BX331			

①数量スライド価格適用外。
②当商品の詳細情報は御覧ください。該当ページをご確認ください。

TONE 前田金属工業
JAPANESE MARKET ONLY

ツールセット(シャッター付サービスキット) C35

壁掛けタイプのシャッター付サービスボードと工具のセット。ボードには工具の姿絵やサイズが描かれており、整理・管理に最適。外寸:1086×122×770mm 3日目発送
①ただし土日祝日除く。



型番 **C35**

セット内容	メーカー製品番号(仕様)	サイズ(mm)	単品・セット区分	¥単価
ソケット(6角)	2S-05, 5.5, 07, 08, 10, 12	1086×122×770	全71点	105,390
ソケット(6角)	4S-10, 12			
ソケット(12角)	4D-13, 14, 17, 19, 21, 22, 24, 27, 30, 32			
ラチェットハンドル	371			
ドライバー形ハンドル	115			
エクステンションバー	321(150mm)			
ボールジョイント	BJ40			
スパナ	S-5.507, 0810, 1012, 1113, 1214, 1417, 1921, 2224			
ロングめがねレンチ(45°)	M45-1012, 1113, 1214, 1417, 1921, 2224			
コンビネーションスパナ	MS-10, 12, 14, 17, 19, 21			
パワードライバー(貫通)	PMD-075, 100, 150(⊖丸軸ソフトグリップ軸) PPD-001, 002, 003(⊕丸軸ソフトグリップ軸)			
モンキーレンチ(目盛付)	MW-200, 300			
コンビネーションプライヤ	CP-200			
セーフティプライヤ	SWP-250			
スナップリングプライヤ(軸・穴兼用)	SPSH-200			
ペンチ	CT-175			
ラジペンチ	RP-150			
強力ニッパ	KN-150			
パイプレンチ	RW300(300mm)			
グリッププライヤ	VP-250			
ミニカッター	MCS-200			
ブラックシャフトハンマー	BH-10(1ポンド)			
ウレタンジョックスハンマー	UH-10(1ポンド)			
ボールポイントL形レンチセット(9本組)	BPL900(BPL-1.5, 02, 2.5, 03, 04, 05, 06, 08, 10)			
サービスボード(小物ケース付)	C35B			


①数量スライド価格適用外。
②当商品の詳細情報は御覧ください。該当ページをご確認ください。

コバが特長!

- シャッター付で、ごみ、埃などの侵入防止。
- 鍵付きで盗難防止。
- ボードに姿絵やサイズが描かれ、管理しやすい。

RATCHET TAP WRENCH T-TYPE

ラチェット式ハンドタップレンチ T字型



型番	適応タップサイズ	全長 L	グリップ長 A	幅 W	爪数	¥単価 1~4本
RTR-M	M3~M8	85	100	20	2	3,060
RTR-L	M8~M12	111	120	25	2	3,000

Order 注文例

RTR-M
型番

Delivery 出荷日

3日目発送

コバが特長!

- 左回転、右回転、固定の3様に回転方向を切替えられます。

Price 価格

■数量スライド価格(⊕1円未満切捨て)

数量	1~4	5~9	10~14	15~19	20~	お見積り
値引率	価格表	3%	5%	10%		

- スパナ・めがねレンチ
- 六角棒レンチ
- モンキーレンチ
- トルクスレンチ
- ソケットレンチ
- トルクレンチ
- ドライバー
- プライヤー・ニッパ・ペンチ
- ハンマー
- ツールセット
- その他手作業工具

Cutters & Pliers

Wire strippers

Crimpers

Tweezers

Screwdrivers & Wrenches

Metal working

Parts boxes

Tool cases

Tool kits

Soldering irons & Solder

Parts & Solder removal equipment

Measuring instruments

Optical equipment

Artistic products

Clean products

Chemical products

Maintenance & Safety products

Milling machine

Pattern cutters

Desk drill presses

Circular saws

PCB cutter

Band saw

Sheet metal bender

Drilling tools

Polishing pads

Pipe cutter

Files

Sand blaster

K-88 HAND NIBBLING TOOL

DISCON.

■ Cutting capacity *1: For copper and pure aluminum:
0.5 to 2.0 mm sheet thickness


For steel sheet: 0.3 to 0.6 mm sheet thickness

■ OAL: 173mm

■ Weight: 190 g

* A 10 mm ϕ prepared hole is required for drilling.

* 1 Restricted to materials which have not heat treated.



■ Replacement part

K-881
REPLACEMENT
BLADE

DISCON.

**K-83** CHASSIS PUNCH KIT

■ Hole-punching capacity *1

Aluminum sheet: Sheet thickness of 1.8 mm or less.
Steel sheet: Sheet thickness: 0.8 mm or less.

■ Set contents: Cutters 16 / 18 / 21 / 25, 30 mm ϕ ; nut, center-bolt, K-441

■ Weight: 480 g (does not include case)

* 10 mm ϕ predrilling hole required.

* 1 Restricted to materials which have not heat treated.



Image of a case

**K-441 to K-444** TAPER REAMERS

Part no.	Sizes mm ϕ	Number of blades	Taper angle	OAL mm	Weight g
K-441	3 to 12	6	7°	124	65
K-442	3 to 16		10°		95
K-443	4 to 22	7	12°	149	155
K-444	4 to 32		20°		330



Rotate rightward to cut.



K-441

K-444

K-437 TAP

Part no.	Set contents	Nominal size	Pitch mm	Weight g
K-437-2	taper, plug, bottoming	M2	0.4	10
K-437-3		M3	0.5	15
K-437-4		M4	0.7	20
K-437-5	3-piece set	M5	0.8	30
K-437-6		M6	1	40



taper

plug

bottoming

K-437-5

K-431 TAP SET

■ Set contents: M3 \times 0.5 / M4 \times 0.7 / M5 \times 0.8

■ Weight: 95 g

* 3 sizes of plug taps.

**K-437A / K-438A** TAP HANDLES

Part no.	Tap sizes mm	OAL mm	Weight g
K-437A	3 to 6	80	70
K-438A	2 to 10	210	150



K-437A



K-438A

⚠ Warning ● Always wear safety glasses when using this product.

MINI PUMP

Update on classic tool! Hand drill becomes a mini pump with easy installation onto drill chuck. Now with hex shank for use on standard drill or on driver.



Attached to hand drill Easily lifts water to 2nd floor

USE • Water supply and drainage of waste water

MATERIAL

- Main body: Plastic
- Rotor: Oil-resistant rubber

FEATURES


- Corrosion resistant pump is self contained. Operated by a standard electric hand drill

SPECIFICATIONS

- Hose diameter: 16mm
- Max water rise: 12m
- Pumping capacity: 10 ~ 12L/min
- Operating speed: 1600min⁻¹
- Shaft diameter: 6.35mm
- Accessories: hose band 2pc

DIMENSIONS

Units: mm




Order No.	Model No.	Drive shaft	Weight
011771	RDP-01	1/4" hex shaft (6.35mm)	160g

T-HANDLE RATCHET TAP WRENCH



RTH-M

DIMENSIONS



Units: mm

Model No.	A	B	C
RTH-M	100	85	7
RTH-L	120	110	8

USE • Tapping

FEATURES

- Body: Carbon tool steel
- Chuck: Sintered metal
- Sliding T-shaped handle
- Can work with one hand
- Tapping easily in narrow spaces
- Three switch position (left, right and fixed)


Order No.	Model No.	Size	Tap Range	Weight
013002	RTH-M	M	M3 ~ M8	200g
013003	RTH-L	L	M8 ~ M12	330g

TAP WRENCH



TRS-1

DIMENSIONS



Units: mm

Model No.	A	B	C
TRS-1	94	60	6
TRS-2	103	74	6
TRS-3	124	90	8

USE • Tapping

FEATURES

- Carbon tool steel
- Sliding T-shaped handle
- Can work with one hand
- Tapping easily in narrow spaces

Order No.	Model No.	Tap Range	Weight
012995	TRS-1	M3 ~ M6	90g
012996	TRS-2	M4 ~ M10	130g
012997	TRS-3	M8 ~ M12	210g

SURVEYORS WHEEL
COUNTER
DRILL CASE
TOOLING
ELECTRIC TOOLS
WORKING TOOLS
SUCTION LIFTER

OTHERS

ミスミ

C VALUE

ラチェットタップレンチ

ラチェット式で、楽にタッピング作業ができます

お買得

在庫品



■適用ねじサイズM3～M10用の場合

1個単位

¥1,650

型番	適用ねじサイズ	全長	重量(g)	¥通常単価
RTWCH-M	M3～M10	85	172	1,650
RTWCH-L	M5～M12	110	294	2,680

ミスミ

C VALUE

ラチェットタップレンチ ロングタイプ

ロングタイプで、奥まった場所でのタッピング作業に便利です

お買得

在庫品



■適用ねじサイズM3～M10用の場合

1個単位

¥3,940

型番	適用ねじサイズ	全長	重量(g)	¥通常単価
LS-RTWCH-M	M3～M10	255	288	3,940
LS-RTWCH-L	M5～M12	315	436	4,200

エスケージー(SKK)

タップハンドル

大好評のねじ切りタップ用タップハンドルです

在庫品

3 日日出荷



1個単位

型番	適用ねじサイズ	全長	材質	¥通常単価	通常出荷日
TW00	M1～M6	100	鋳物	1,120	在庫品
TW01	M1～M6	170	鋳物	810	在庫品
TW04	M1～M10	200	鋳物	960	在庫品
TW05	M4～M14	255	鋳物	1,280	在庫品
TW06	M6～M20	350	鋳物	2,140	3日目
TW07	M10～M25	450	鋳物	3,400	3日目
TW08	M19～M42	900	鋳物	10,640	3日目
TW09	M25～M60	1000	鋳物	13,600	3日目

型番	適用ねじサイズ	全長	材質	¥通常単価	通常出荷日
TW022	M25～M72	1270	鋳物	33,720	3日目
TW024	M42～M120	1480	鋳物	44,880	3日目
TW01ST	M1～M6	170	鉄	1,120	在庫品
TW04ST	M1～M10	200	鉄	1,310	3日目
TW05ST	M4～M14	255	鉄	1,780	在庫品
TW06ST	M6～M20	350	鉄	2,850	3日目
TW07ST	M10～M30	450	鉄	4,370	3日目

エスケージー(SKK)

T型タップホルダー

タップのねじ切り作業用

在庫品

3 日日出荷



1個単位

型番	適用ねじサイズ	全長	¥通常単価	通常出荷日
TH087	M3～M5	60	640	3日目
TH088	M4～M6	64	690	3日目
TH089	M5～M10	70	830	在庫品
TH090	M10～M13	83	1,260	3日目
TH6.0L	M3～M6	70	2,040	在庫品
TH010L	M5～M10	83	2,170	3日目

エスケージー(SKK)

ラチェット付きT型タップホルダー

効率的なラチェット付きタップホルダー

在庫品

3 日日出荷



1個単位

型番	適用ねじサイズ	全長	¥通常単価	通常出荷日
THR01	M2～M8	85	2,580	在庫品
THR02	M5～M13	110	3,330	3日目
THR01L25	M3～M10	250	4,280	在庫品
THR02L30	M5～M12	300	6,730	3日目